Renewable Energy

Why It's Still Important in the Everyday Economy

Power the everyday. Prepare for the extraordinary.



Rev. Dr. Gerald F. Poe, Jr., PM

POETECH GLOBAL | FIRST EDITION

Renewable Energy

Why It's Still Important in the Everyday Economy

Rev. Dr. Gerald F. Poe, Jr., PM

Power the everyday. Prepare for the extraordinary.

Published by PoeTech Global in strategic partnership with Keystone Strategies International VC & Development, on behalf of Poe Family Office.

First edition | October 2026 | poetechglobal.com

Copyright and rights. Copyright © 2026 Gerald F. Poe, Jr., to the extent applicable to human-authored contributions, editorial work, selection, and arrangement. All applicable rights reserved. This notice does not claim exclusive rights in material ineligible for copyright. Permission inquiries: poetechglobal.com. No ISBN, Library of Congress control number, or cataloging-in-publication record has been assigned to this website edition.

Editorial transparency. Text and original illustrations were developed using generative AI. The illustrations combine original contemporary urban mural textures with classical chiaroscuro and an Enlightenment spirit of inquiry; they do not depict the referenced artists or philosophers. Future installations pictured are imaginative, not evidence of deployed systems. Examples and calculations are illustrative unless attributed. Manufacturer claims are identified as such.

Scope. Educational and strategic information, not a site-specific design, investment recommendation, or substitute for qualified engineering, electrical, legal, or financial advice. Research checked October 6, 2026. Prices, specifications, incentives, and availability vary and can change. No endorsement by a named company or government agency is implied.



Dedication

To my father, Gerald F. Poe, Sr.

An innovator in technology, construction, flight, and aviation. A pioneer whose example taught me that the world could be reached, understood, and improved.

You put the first CB radio in my hand and told me to communicate with the world. You helped me assemble little electronic kits with diodes and batteries. What looked like small components became an introduction to a much larger life.

You taught me to look closely, ask questions, and build. You made technology something I could touch. You made possibility something I could pursue.

This book follows the same current: from the energy that helped build our communities to the technologies that may carry humanity beyond the horizon.

You are a hero I am glad I had the chance to meet and know.

With love, gratitude, and respect,
Rev. Dr. Gerald F. Poe, Jr., PM



ORIGINAL CONCEPT ART / ILLUSTRATIVE, NOT AN ENGINEERING DIAGRAM

Contents

Book synopsis 4

1. Respect the oil field and build the future 5

2. Energy is an everyday economic issue 6

3. Understand power before buying possibility 7

4. Solar belongs in a complete system 8

5. Lightweight solar and the promise of tandems 9

6. Wind, water, and the heat beneath us 10

7. Batteries change when energy is available 11

8. The battery frontier and the Ava example 12

9. What Tesla and Honda show us 13

10. Electric vehicles and the cost of movement 14

11. When the vehicle supports the home 15

12. Africa is building real electric mobility 16

13. Electricity from the air deserves honest testing 17

14. Hydrogen carries energy rather than creating it 18

15. Nuclear fission and dependable power 19

16. Fusion is a frontier rather than a utility bill 20

17. A stronger grid needs more than generation 21

18. The home as an energy participant 22

19. Small microgrids with clear responsibilities 23

20. Data centers consume power and can share heat 24

21. Comparing technologies by the job 25

22. Count the environmental costs honestly 26

23. Teach the next generation to build 27

24. Businesses need projects that perform 28

25. From a rooftop to the Moon and beyond 29

26. A practical modernization plan 30

Sources and evidence 31-33

About the author 34

Publisher production notes 35

Closing perspective 36



Book synopsis

Power the everyday. Prepare for the extraordinary.

The oil field and the solar field belong in the same conversation. One helped build the modern economy. The other helps expand the options available to it. The question is how to make energy more useful, dependable, affordable, and sustainable as our needs grow.

This book follows that transformation from historic drilling rigs and business deals to solar rooftops, electric vehicles, batteries, stronger grids, and the power systems that may support exploration beyond Earth. It connects the future to the costs people face today: getting to work, cooling a home, keeping a business open, teaching a child, and protecting a community during an outage.

The discussion examines fossil fuels, wind, hydropower, geothermal energy, hydrogen, nuclear fission, and experimental fusion. It explores lightweight solar, next-generation batteries, African electric mobility, bidirectional charging, microgrids, and the growing energy demands of computing.

Excitement belongs here, but so does evidence. A vehicle that recovers braking energy is useful; it is not a perpetual-motion machine. RF harvesting is real; a claim that ambient radio waves power a road vehicle requires much stronger proof. A data center can share recovered heat or participate in an energy system; its computers do not create free electricity.

My perspective is shaped by technology, energy infrastructure, aviation, entrepreneurship, and service. My starting point is also personal: a father who placed a radio in my hand and made the world feel reachable.

We honor what built the economy by preparing what will sustain its next chapter.



ORIGINAL CONCEPT ART / ILLUSTRATIVE, NOT AN ENGINEERING DIAGRAM

1 | Respect the oil field and build the future

Progress begins with an honest inheritance

The oil rigs on this cover represent work, risk, capital, and ingenuity. Petroleum remains important in transportation and as a feedstock for materials. Natural gas, coal, nuclear plants, and renewable sources also contribute to the systems on which daily life depends. Recognizing that inheritance makes the conversation more credible.

The International Energy Agency reports that demand for oil, gas, and coal all grew in 2025, while solar became the largest single contributor to growth in global energy supply. Both realities matter. Renewable progress does not mean fossil fuels vanished, and continuing fossil demand does not mean alternatives lack value. [1]

Our task is to examine where each technology helps and what its use costs. Fuel supply brings exposure to prices and logistics. Renewable generation brings questions of location, weather, integration, and timing. Nuclear power raises financing, construction, fuel, waste, and governance questions. No serious option earns a free pass.

The handshake in the artwork stands for decisions that built infrastructure. Today's decisions should be equally concrete. Who is buying the power? Who will maintain the equipment? What happens when the weather changes or the fuel supply is interrupted? What can the customer actually afford?

I see modernization as the discipline of adding capability while keeping essential services working. A useful transition preserves valuable skills and invites workers into new opportunities. Drilling expertise, electrical work, construction, logistics, and project management can all remain relevant as the system changes.

The practical test: an energy proposal should explain what it improves, what it depends on, and who owns the consequences. Respect for the past becomes productive when it helps us build the next reliable system.



ORIGINAL CONCEPT ART / ILLUSTRATIVE, NOT AN ENGINEERING DIAGRAM

2 | Energy is an everyday economic issue

The bill reaches every household and business

Energy costs appear in obvious places: electricity bills, gasoline, diesel, and heating. They also appear in freight, food storage, manufacturing, communication, and the services we buy. A discussion about energy is therefore a discussion about how the everyday economy functions.

Renewables can help diversify supply and reduce exposure to purchased fuel. That does not automatically produce a lower retail bill. Financing, construction, maintenance, transmission, storage, utility tariffs, and local policy determine how benefits reach customers. A cheap generation resource can still require an expensive connection.

A bakery cares whether ovens, refrigeration, and payment systems remain available. A household cares whether the refrigerator and essential equipment stay powered during an outage. A farm cares about irrigation, cooling, and dependable operating schedules. Each need points toward a different combination of resources.

Ask for a whole-system comparison. Include purchase price, operating cost, replacement, insurance, downtime, and disposal. Distinguish energy savings from resilience value. A backup battery may be useful even when it does not quickly pay for itself through bill reductions. Its value depends on the owner's needs and alternatives.

For communities, the opportunity extends beyond buying equipment. Local technicians, electricians, trainers, inspectors, and maintenance businesses can participate. But employment and development benefits should be documented rather than assumed from a project's headline.

A household exercise: gather twelve months of energy and fuel bills. Identify what is bought, when it is used, and which interruptions would cause the greatest harm. Begin with those facts before choosing a technology.

The everyday economy does not need an argument won on a stage. It needs systems that deliver useful service at a cost people understand.



ORIGINAL CONCEPT ART / ILLUSTRATIVE, NOT AN ENGINEERING DIAGRAM

3 | Understand power before buying possibility

A few units prevent expensive misunderstandings

Power is the rate of energy transfer. Energy is the accumulated quantity. A kilowatt, kW, measures power; a kilowatt-hour, kWh, measures energy. A one-kilowatt load running for one hour uses one kilowatt-hour. The distinction separates how much a system can supply at once from how long it can continue supplying it.

A battery might hold ample energy but lack the output needed to start a large load. A solar array might have a high peak rating but produce less energy than expected under shade, heat, clouds, or poor orientation. A charger might be fast while the electrical service cannot support its full setting.

Energy does not appear from nothing. Generators convert mechanical or other energy into electricity. Batteries store energy supplied earlier. Fuel cells convert chemical energy. Regenerative braking recovers some energy that would otherwise be dissipated during slowing. Each conversion has losses.

Illustrative calculation: a load averaging 0.8 kW over eight hours consumes 6.4 kWh. If only 80% of a battery's nominal energy is available after an assumed reserve and losses, the simplified nominal requirement is 6.4 divided by 0.8, or 8 kWh. Actual design must also consider surge power, temperature, aging, duty cycles, and the manufacturer's usable-energy definitions. This is not an equipment specification.

Read a proposal for four different numbers: generation power, battery energy, battery output power, and expected energy delivered over time. Insist that each has units and stated conditions.

Keep this question handy: where does the energy enter the system? A credible answer should identify sunlight, moving air, flowing water, fuel, heat, or another measurable source. The excitement grows stronger when the accounting works.



ORIGINAL CONCEPT ART / ILLUSTRATIVE, NOT AN ENGINEERING DIAGRAM

4 | Solar belongs in a complete system

A panel is the beginning rather than the whole project

Photovoltaic cells convert sunlight into electricity. A working installation also needs appropriate mounting, wiring, protection, power conversion, and controls. Depending on the project, it may include storage and equipment that permits safe operation during an outage. DOE's solar resources describe the panel as one component of a complete system. [2]

For a home, the right starting point is the roof and the load. Examine roof condition, shade, orientation, available space, structural suitability, and the timing of consumption. A large daytime load may align naturally with solar production. Evening demand creates a different question about storage or grid supply.

Request an annual production estimate with assumptions. Ask how losses, shading, weather, and degradation are modeled. A nameplate rating is not a promise of constant output. Compare the estimate with actual local conditions rather than a photograph of an ideal installation.

Understand outage behavior before signing. A conventional grid-connected installation may stop exporting during a grid outage for safety. Backup requires a properly configured system, including isolation and compatible equipment. The presence of panels alone does not guarantee that the lights remain on. [3]

Solar can also serve places where the roof is unsuitable: parking canopies, ground mounts, community projects, or portable systems. Each arrangement changes costs, approvals, maintenance, and who receives the benefit.

A better purchasing question: “What useful energy will this installation deliver to my loads under the conditions that matter to me?” That question encourages a system proposal rather than a panel sales pitch.

The everyday promise of solar is local energy that can be measured. Its future depends on making that energy dependable and economically useful.



ORIGINAL CONCEPT ART / ILLUSTRATIVE, NOT AN ENGINEERING DIAGRAM

5 | Lightweight solar and the promise of tandems

More places to harvest sunlight

Flexible and lightweight solar can serve surfaces where conventional rigid modules are difficult to install. Commercial flexible silicon and thin-film products exist. Renogy, for example, lists a 200-watt flexible module. That rating describes power under specified test conditions, not guaranteed energy every hour. [4]

Research on perovskite and tandem cells seeks improved performance by combining materials that capture different portions of sunlight. Work reported by NREL and its successor institution includes flexible photovoltaic development with industry partners. Laboratory progress, pilot production, and long-term commercial durability remain distinct milestones. [5]

Lightweight is valuable when weight is a limiting factor, such as portable equipment, certain roofs, aviation, or space systems. It does not mean a small area can collect unlimited energy. Available sunlight, area, conversion efficiency, temperature, and orientation still govern output.

Illustrative scale: at an assumed 1,000 watts of incoming sunlight per square meter and 20% conversion efficiency, one square meter produces about 200 watts before other system losses. Five equivalent full-sun hours would correspond to about one kilowatt-hour before losses. This calculation illustrates the physics; it is not a forecast for a particular site or product.

For purchases, compare watts per square meter and watts per kilogram, then look at warranty, heat behavior, mounting requirements, bend limits, and expected lifespan. A lightweight panel can solve a real structural problem while still requiring adequate surface area.

The exciting future is solar that fits more of the places where people need power. The professional standard is equally clear: match the product to the environment and demand evidence that performance survives outside the demonstration.



ORIGINAL CONCEPT ART / ILLUSTRATIVE, NOT AN ENGINEERING DIAGRAM